

CATALOGUE OF IDEAS

Log cabins | Living houses | Garages | Constructions



2022



Products classification:

CATEGORY

- Garden cabins
- Living houses
- Garages
- Constructions

PAGE

- 16**
- 68**
- 94**
- 102**

Product index

● GARDEN CABINS

Abington	17
Alnwick	18
Arundel	19
Barnard	20
Beaumont	21
Berkeley	22
Braemar	23
Brecon	24
Cambridge	25
Christchurch	26
Clifford	27
Dalton	28
Dartmouth	29
Donnington	30
Edinburgh	31
Elsdon	32
Evesham	33
Goodrich	34
Guildford	35
Hereford	36
Hume	37
Kendal	38
Kinnaird	39
Knighton	40
Lancaster	41
Lincoln	42
Lochwood	44
Dartmouth XL	45

Hume XL	46
Maiden	47
Mitford	48
Mitford XL	49
Dalton XL	50
Edinburgh XL	51
Montgomery	52
Mountbatten	53
Evesham XL	54
Newark	55
Newington	56
Oxford	58
Plymouth	59
Portland	60
Quentin	61
Radcliffe	62
Radnor	63
Richmond	64
Rochester	65

● LIVING HOUSES

Rochford	69
Rothsay	70
Sandal	71
Scarborough	72
Sherborne	74
Southampton	75
Stirling	76
Taunton	78

Tewkesbury	80
Tiverton	82
Uppingham	84
Vaynor	85
Victoria	86
Warwick	88
Westminster	89
Winchester	90
Windsor	92
Wiston	93

● GARAGES

York	95
Highclere	96
Belvoir	97
Pendennis	98
Bamburgh	99
Pendragon	100

● CONSTRUCTIONS

Fuji	103
Sinai	104
Etna	105
Elbrus	106
Ararat	107
Kilimanjaro	108
Everest	109

Every cabin is made to measure

Bespoke service available to all projects in this catalogue. We can manufacture every cabin to meet your unique expectations.



BEFORE

Standard Braemar model



AFTER

Customized Braemar model

**BEFORE**

Standard Tiverton model

No standard model policy

Customizations are free and unlimited and are not bound to any models in the catalogue. We encourage you to create your dream cabin that fits your lifestyle and personality.

**AFTER**

Customized Tiverton model



Options

You can choose a standard house from the catalogue or order a house according to your own design on a bespoke basis. To achieve the best possible result, the combination of various parts of the house has to be planned:



Walls



Roof



Floor



Doors



Windows



Walls

Our products are available in 2 quality grades: **summer house grade** (houses with a wall thickness of 44 mm or more) and **living house grade** (houses with a wall thickness of 90 mm or more).

Solid timber

STANDARD



34 mm



44 mm



68 mm



90 mm

Glulam timber

OPTIONAL



90 mm



120 mm



160 mm



200 mm

Additional reinforcement



U profile



Wall reinforcement



Window / door reinforcement

**Doors****Windows**

For doors and windows, we offer three quality grades: Superior, Premium and Silver line.

SUPERIORline

Comes in any size, both standard and bespoke






Doors




Windows

SUPERIORline

Comes in any size, both standard and bespoke



4/10/4 mm
double glazed windows
(toughened glass option available)



Removable external
Georgian bars
available



External stainless
steel sill



Quality
handles



Tilt & turn system
(inside opening)



**Doors****Windows**

PREMIUMline Comes in any size, both standard and bespoke



Scandinavian
galvanized
hinges



Durable
seals



Top quality locks



Single panel
filling



Doors




Windows

PREMIUMline

Comes in any size, both standard and bespoke



4/16/4 mm
double glazed windows
(toughened glass option available)



Factory pre-installed
Georgian bars
available



External stainless
steel sill



Top quality
handles




Tilt & turn system
(inside opening)




**Doors****Windows****SILVER**line

Comes in standard window and door sizes only



4/6/4 mm
double glazed windows
(toughened glass option available)



Removable external
Georgian bars
available



White handles




Turn system

(outside opening only)



Standard sizes

We are offering standard sizes to simplify your ordering. However, we can produce custom size doors and windows according to your specification.



Door dimensions



Window dimensions

Windows shutters

Shutters can only be ordered with inside-opening windows. Hence, shutters cannot be applied for Silver line quality, as well as in those cases when Superior or Premium windows are ordered with outside opening.



Aluminium constructions

Min. section width	70 cm
Max. section width	120 cm
Recommended height	2 m
Max. possible height	2.4 m
Glass	Standard 4/8/4. Tempered glass available
Color	White, brown, anthracite





Roof



Floor

Choose between two board thicknesses: 19 mm and 28 mm. Solid roof beams as standard or glulam as an option.

Boards available



Floor / roof boards



Terrace boards

Board thickness:



19 mm



28 mm



● GARDEN CABINS



ABINGTON 4.9 m²

1 window, 1 door included

Recommended minimal wall thickness: **34 mm**

Dimensions: 1.8 x 2.8 m
Total height: 2242 mm
Wall height: 1890 mm



ALNWICK 7.7 m² *(without terrace)*

3 windows, 2 doors included

Recommended minimal wall thickness: **34 mm**

Dimensions: 2.8 x 2.8 m

Total height: 2654 mm

Wall height: 2160 mm

Terrace size: 4.5 m²



ARUNDEL 9.8 m² *(without terrace)*

6 windows, 2 doors included

Recommended minimal wall thickness: **34 mm**

Dimensions: 3.3 x 4.8 m

Total height: 2731 mm

Wall height: 2160 mm

Terrace size: 5.8 m²



BARNARD 10.2 m²

1 window, 1 door included

Recommended minimal wall thickness: **34 mm**

Dimensions: 1.8 x 5.8 m

Total height: 2377 mm

Wall height: 2025 mm



BEAUMONT 10.8 m² (without terrace)

3 windows, 2 doors included

Recommended minimal wall thickness: **34 mm**

Dimensions: 5.1 x 2.8 m
 Total height: 2743 mm
 Wall height: 2161 mm
 Terrace size: 3.2 m²



BERKELEY 10.7 m² (without terrace)

3 windows, 2 doors included

Recommended minimal wall thickness: **34 mm**

Dimensions: 3.9 x 5.8 m

Total height: 2832 mm

Wall height: 2160 mm

Terrace size: 12 m²



BRAEMAR 12 m² *(without terrace)*

3 windows, 3 doors included


Recommended minimal wall thickness: **34 mm**

Dimensions: 4.4 x 4.4 m

Total height: 3203 mm

Wall height: 2160 mm

Terrace size: 7.3 m²



BRECON 13.3 m² *(without terrace)*

5 windows, 2 doors included

Recommended minimal wall thickness: **68 mm**

Dimensions: 3.7 x 5.1 m

Total height: 2925 mm

Wall height: 2295 mm

Terrace size: 5.2 m²



CAMBRIDGE 13.9 m² *(without terrace)*

4 windows, 3 doors included


Recommended minimal wall thickness: **44 mm**

Dimensions: 4.8 x 3.9 m

Total height: 3102 mm

Wall height: 2295 mm

Terrace size: 4.9 m²



CHRISTCHURCH 14.4 m² *(without terrace)*

1 window, 3 doors included


Recommended minimal wall thickness: **44 mm**

Dimensions: 3.3 x 5.3 m

Total height: 2503 mm

Wall height: 2295 mm

Terrace size: 2.7 m²



CLIFFORD 14.7 m² *(without terrace)*

5 windows, 2 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.9 x 3.9 m

Total height: 2748 mm

Wall height: 2160 mm

Terrace size: 4.3 m²



DALTON 14.8 m² *(without terrace)*

4 windows, 2 doors included


Recommended minimal wall thickness: **44 mm**

Dimensions: 3.4 x 5.6 m

Total height: 2917 mm

Wall height: 2295 mm

Terrace size: 3.9 m²



DARTMOUTH 15.3 m² *(without terrace)*

4 windows, 2 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.3 x 4.4 m

Total height: 2890 mm

Wall height: 2160 mm

Terrace size: 3.7 m²



DONNINGTON 16.1 m² *(without terrace)*

3 windows, 2 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 3.8 x 4.8 m

Total height: 2368 mm

Wall height: 2160 mm

Terrace size: 1.8 m²



EDINBURGH 17.1 m² *(without terrace)*

4 windows, 2 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.4 x 4.4 m

Total height: 3034 mm

Wall height: 2295 mm

Terrace size: 2 m²



ELSDON 16.8 m² *(without terrace)*

2 windows, 4 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.9 x 5.9 m

Total height: 2641 mm

Wall height: 2565 mm

Terrace size: 12.2 m²



EVESHAM 17.8 m² *(without terrace)*

5 windows, 3 doors included


Recommended minimal wall thickness: **44 mm**

Dimensions: 4.7 x 4.1 m

Total height: 3086 mm

Wall height: 2295 mm

Terrace size: 1.4 m²



GOODRICH 18 m² *(without terrace)*

3 windows, 2 doors included

Recommended minimal wall thickness: **34 mm**

Dimensions: 3.8 x 4.8 m

Total height: 2942 mm

Wall height: 2295 mm

Terrace size: 6 m²




GUILDFORD 18.5 m²

5 windows, 2 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 3.4 x 5.4 m
 Total height: 2367 mm
 Wall height: 2160 mm



HEREFORD 19.1 m² *(without terrace)*

2 windows, 4 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.3 x 5.3 m

Total height: 3016 mm

Wall height: 2295 mm

Terrace size: 3.2 m²



HUME 19 m²

3 windows, 2 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4 x 4.7 m
Total height: 2982 mm
Wall height: 2295 mm



KENDAL 19 m²

3 windows, 3 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 3.3 x 5.9 m
Total height: 2644 mm
Wall height: 2160 mm



KINNAIRD 19.1 m²

5 windows, 3 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.4 x 4.4 m
 Total height: 2899 mm
 Wall height: 2160 mm




KNIGHTON 19.1 m²

3 windows, 2 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.4 x 4.4 m
Total height: 3034 mm
Wall height: 2295 mm



LANCASTER 21.5 m²

4 windows, 2 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 2.8 x 5.8 m
 Total height: 2651 mm
 Wall height: 2160 mm



LINCOLN 17.5 m² (without terrace)

4 windows, 2 doors, and stairs included

Recommended minimal wall thickness: **44 mm**

Dimensions: 3.3 x 4.3 m

Total height: 4396 mm

Wall height: 2700 mm


Terrace size: 2.2 m²



Ground floor:



First floor:





LOCHWOOD 38 m² *(without terrace)*

7 windows, 3 doors, and stairs included

Recommended minimal wall thickness: **68 mm**

Dimensions: 5.4 x 4.9 m

Total height: 4939 mm

Wall height: 2969 mm


Terrace size: 2.7 m²



Ground floor:



First floor:





DARTMOUTH XL 26.2 m²

4 windows, 3 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 5.6 x 5.8 m

Total height: 3080 mm

Wall height: 2160 mm

Terrace size: 5.8 m²



HUME XL 26.3 m²

4 windows, 3 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.8 x 5.5 m
 Total height: 3092 mm
 Wall height: 2295 mm



MAIDEN 26.5 m² (without terrace)

4 windows, 3 doors included


Recommended minimal wall thickness: **44 mm**

Dimensions: 6.8 x 6.8 m

Total height: 3398 mm

Wall height: 2295 mm

Terrace size: 19.1 m²



MITFORD 27.3 m²

5 windows, 3 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.8 x 5.8 m
Total height: 3092 mm
Wall height: 2295 mm



MITFORD XL 27.3 m²


5 windows, 3 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.8 x 4.8 m

Total height: 3092 mm

Wall height: 2295 mm



DALTON XL 26.7 m² (without terrace)

6 windows, 3 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.8 x 7.8 m

Total height: 3189 mm

Wall height: 2295 mm

Terrace size: 10.2 m²



EDINBURGH XL 30.1 m² (without terrace)

5 windows, 3 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 5.8 x 5.8 m

Total height: 3245 mm

Wall height: 2295 mm

Terrace size: 3 m²



MONTGOMERY 32.1 m²

7 windows, 4 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.8 x 6.8 m
 Total height: 3400 mm
 Wall height: 2565 mm



MOUNTBATTEN 32.4 m² *(without terrace)*

4 windows, 5 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 5.8 x 6.8 m

Total height: 2978 mm

Wall height: 2295 mm

Terrace size: 6.4 m²



EVESHAM XL 33.4 m² *(without terrace)*

6 windows, 4 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 6.8 x 5.8 m

Total height: 3398 mm

Wall height: 2295 mm

Terrace size: 5.4 m²



NEWINGTON 50.7 m²

10 windows, 3 doors, and stairs included

Recommended minimal wall thickness: **68 mm**

Dimensions: 5.1 x 7.4 m

Total height: 4406 mm

Wall height: 2430 mm



Ground floor:



First floor:





WINNIPEG 37.6 m² *(without terrace)*

6 windows, 4 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 6.8 x 7.8 m

Total height: 3270 mm

Wall height: 2295 mm

Terrace size: 14.7 m²



OXFORD 43.3 m² (without terrace)

6 windows, 4 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 6.8 x 7.8 m

Total height: 3270 mm

Wall height: 2295 mm

Terrace size: 9 m²



PLYMOUTH 43 m² (without terrace)

4 windows, 6 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 7.8 x 7.8 m
 Total height: 3191 mm
 Wall height: 2295 mm
 Terrace size: 17.1 m²



PORTLAND 46.5 m²

7 windows, 4 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 6 x 7.8 m
Total height: 3611 mm
Wall height: 2565 mm



QUENTIN 48.1 m² (without terrace)

9 windows, 5 doors included


Recommended minimal wall thickness: **44 mm**

Dimensions: 8.4 x 6.9 m

Total height: 2639 mm

Wall height: 2160 mm

Terrace size: 10.1 m²



RADCLIFFE 48 m² *(without terrace)*

9 windows, 4 doors included

Recommended minimal wall thickness: **68 mm**

Dimensions: 4 x 13.21 m

Total height: 2906 mm

Wall height: 2295 mm

Terrace size: 18 m²




RADNOR 56.2 m²

8 windows, 4 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 7.3 x 7.8 m
Total height: 3814 mm
Wall height: 2565 mm



RICHMOND 70.7 m²

8 windows, 4 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 7.3 x 9.8 m
Total height: 3814 mm
Wall height: 2565 mm



ROCHESTER 75.8 m²

7 windows, 7 doors included

Recommended minimal wall thickness: **68 mm**

Dimensions: 8.7 x 8.7 m
Total height: 3532 mm
Wall height: 2295 mm



Glued wood profiles



68 mm



88 mm

● LIVING HOUSES




ROCHFORD 60.9 m² (without terrace)

7 windows, 5 doors and stair included

Recommended minimal wall thickness: **68 mm**

Dimensions: 7.5 x 9.8 m
 Total height: 3040 mm
 Wall height: 2970 mm
 Terrace size: 13.2 m²



ROTHESAY 57.6 m² (without terrace)

5 windows, 7 doors included

Recommended minimal wall thickness: **68 mm**

Dimensions: 6.5 x 11.7 m

Total height: 3360 mm

Wall height: 2295 mm

Terrace size: 18.6 m²



SANDAL 59 m² *(without terrace)*

6 windows, 4 doors included

Recommended minimal wall thickness: **68 mm**

Dimensions: 7.7 x 8.7 m

Total height: 3679 mm

Wall height: 2430 mm

Terrace size: 8 m²



SCARBOROUGH 48 m² *(without terrace)*

8 windows, 3 doors, and stairs included

Recommended minimal wall thickness: **90 mm**

Dimensions: 8.9 x 5.9 m

Total height: 5400 mm

Wall height: 5330 mm

Terrace size: 44.3 m²




**Ground
floor:**



**First
floor:**





SHERBORNE 68.2 m² *(without terrace)*

7 windows, 4 doors included

Recommended minimal wall thickness: **68 mm**

Dimensions: 7.6 x 10.7 m

Total height: 3927 mm

Wall height: 2470 mm

Terrace size: 13.5 m²



SOUTHAMPTON 60.3 m²

3 windows, 5 doors included

Recommended minimal wall thickness: **68 mm**

Dimensions: 9.2 x 8.6 m

Total height: 4052 mm

Wall height: 2700 mm

Terrace size: 18.2 m²



STIRLING 45.3 m² *(without terrace)*

6 windows, 5 doors, and stairs included

Recommended minimal wall thickness: **90 mm**

Dimensions: 6 x 8.1 m

Total height: 5609 mm

Wall height: 2730 mm

Terrace size: 23.6 m²



Ground floor:



First floor:





TAUNTON 62.4 m² *(without terrace)*

7 windows, 9 doors, and stairs included

Recommended minimal wall thickness: **68 mm**

Dimensions: 7.2 x 8.8 m

Total height: 5639 mm

Wall height: 3120 mm

Terrace size: 17.3 m²



Ground floor:



First floor:





TEWKESBURY 107.3 m²

13 windows, 9 doors, and stairs included

Recommended minimal wall thickness: **90 mm**

Dimensions: 8.4 x 9.5 m

Total height: 5748 mm

Wall height: 2990 mm



Ground floor:



First floor:





TIVERTON 64.4 m² *(without terrace)*

6 windows, 4 doors, and stairs included

Recommended minimal wall thickness: **68 mm**

Dimensions: 5.5 x 7.2 m

Total height: 5840 mm

Wall height: 4050 mm

Terrace size: 13.9 m²



Ground floor:



First floor:





UPPINGHAM 80.1 m² (without terrace)

7 windows, 7 doors included


Recommended minimal wall thickness: **44 mm**

Dimensions: 8.6 x 10.3 m

Total height: 3808 mm

Wall height: 2430 mm

Terrace size: 7.6 m²



VAYNOR 92.8 m² *(without terrace)*

7 windows, 6 doors included

Recommended minimal wall thickness: **68 mm**

Dimensions: 10.2 x 11.2 m

Total height: 4402 mm

Wall height: 2430 mm

Terrace size: 22.2 m²



VICTORIA 73.2 m² *(without terrace)*

9 windows, 9 doors, and stairs included

Recommended minimal wall thickness: **90 mm**

Dimensions: 7.4 x 8.9 m

Total height: 6026 mm

Wall height: 3380 mm

Terrace size: 29 m²



Ground floor:



First floor:





WARWICK 115.9 m² *(without terrace)*

8 windows, 10 doors included

Recommended minimal wall thickness: **68 mm**

Dimensions: 8.9 x 13.4 m

Total height: 3721 mm

Wall height: 2295 mm

Terrace size: 2.7 m²



WESTMINSTER 108.4 m²

10 windows, 6 doors included

Recommended minimal wall thickness: **68 mm**

Dimensions: 11.9 x 9.9 m

Total height: 2773 mm

Wall height: 2295 mm

Terrace size: 8.6 m²



WINCHESTER 110.1 m² *(without terrace)*

10 windows, 8 doors, and stairs included

Recommended minimal wall thickness: **90 mm**

Dimensions: 6.6 x 10.3 m


Total height: 5725 mm

Wall height: 2990 mm


Terrace size: 3.5 m²




Ground floor:



First floor:





WINDSOR 122.3 m² (without terrace)

9 windows, 11 doors included

Recommended minimal wall thickness: **68 mm**

Dimensions: 7.9 x 18 m

Total height: 2987 mm

Wall height: 2430 mm

Terrace size: 20 m²



WISTON 145 m² *(without terrace)*

15 windows, 10 doors included

Recommended minimal wall thickness: **90 mm**

Dimensions: 9.3 x 18.2 m
 Total height: 4248 mm
 Wall height: 2860 mm
 Terrace size: 20.6 m²



- **GARAGES**



YORK 19.1 m²

1 window, 2 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 3.7 x 5.1 m
 Total height: 2936 mm
 Wall height: 2295 mm



HIGHCLERE 19.2 m²

2 doors included

Recommended minimal wall thickness: **34 mm**

Dimensions: 3.5 x 5.4 m

Total height: 2906 mm

Wall height: 2295 mm



BELVOIR 22.7 m² *(without terrace)*

1 window, 2 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 5 x 5.5 m
 Total height: 3020 mm
 Wall height: 2160 mm
 Terrace size: 4.8 m²



PENDENNIS 28.7 m²

1 window, 2 doors included


Recommended minimal wall thickness: **44 mm**

Dimensions: 5.8 x 5.8 m

Total height: 3245 mm

Wall height: 2295 mm

Terrace size: 4.4 m²



BAMBURGH 34.7 m²

1 window, 3 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 6.3 x 5.5 m
Total height: 3124 mm
Wall height: 2160 mm



PENDRAGON 50.2 m² *(without terrace)*

1 window, 2 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.9 x 10.2 m

Total height: 3252 mm

Wall height: 2295 mm



● CONSTRUCTIONS



FUJI 13.14 m²

Roof area: 13.14 m²

Dimensions: 4.76 x 2.76 m

Column thickness: 115 x 115 mm

Rafter thickness:
70 x 200 mm
90 x 250 mm



SINAI 19.72 m²

Roof area: 21.51 m²

Dimensions:	3.40 x 5.80 m
Column thickness:	115 x 115 mm 70 x 150 mm
Rafter thickness:	70 x 200 mm 90 x 250 mm



ETNA 22.19 m²

Roof area: 22.37 m²

Dimensions: 3.80 x 5.84 m

Column thickness: 180 x 180 mm

Rafter thickness:
70 x 200 mm
90 x 250 mm



ELBRUS 23.04 m²

Roof area: 27.48 m²

Dimensions:	4.80 x 4.80 m
Column thickness:	180 x 180 mm
Rafter thickness:	50 x 150 mm 90 x 250 mm



ARARAT 27.09 m²

Roof area: 29.22 m²

Dimensions: 4.30 x 6.30 m

Column thickness: 180 x 180 mm

Rafter thickness: 70 x 150 mm

90 x 250 mm



KILIMANJARO 35.66 m²

Roof area: 37.84 m²

Dimensions:	5.66 x 6.30 m
Column thickness:	180 x 180 mm
Rafter thickness:	70 x 150 mm 90 x 300 mm



EVEREST 37.17 m²

Roof area: 40.83 m²

Dimensions: 6.30 x 5.90 m

Column thickness: 180 x 180 mm

Rafter thickness: 50 x 150 mm

90 x 250 mm

CATALOGUE OF IDEAS
2022

